

Tenda 4G09 APN change

Connecting

LAN:

- Input an ethernet cable to one of the **LAN ports** on the router and connect it to the back of your PC. Select the network on your PC desktop (it should do this automatically). You can also connect via a **Wi-Fi signal** through the Wi-Fi Key located on the back/under of the router. Just such for the SSID on the back of the router (e.g.) Tenda_4FCE

Lan Port & Ethernet Cable ->



Figure 1 LAN port and ethernet cable

Wireless:

- Make sure you have **mobile data** turned **off** and you are only connected to the Wi-Fi network. (connected **with no internet** is okay as we don't need a connection to do these steps)

Opening a browser

- Open Google Chrome and clear the address bar at the top of the page to enter the following IP Address
- Enter **192.168.0.1**




Figure 2 Tenda Login Screen

- Enter **ruralwifi** for the Password and **press the Login button** to continue.

Updating the APN of the Device

- Go to **Internet settings** on the left-hand side.
- About halfway down the page select **Create Profile**.




Figure 3 Internet settings for Tenda Router

Here you will make a new profile. Please ask your support rep which **APN** to use for your **SIM card**.




Figure 4 Creating a profile

- Click the **Save** in the bottom of the page.

Vodafone APN -> hs.vodafone.ie

EIR APNs -> data.myeirmobile.ie

Three APNs -> 3ireland.ie

- Once you are back on the same page select **“connect”**.




Figure 5 Internet settings for Tenda Router

Your internet connection should now be working.

You can perform a speed test by using the link below:

[Test your internet speed here](#)